Page 2

Case MC058YP

In the Claims

- 1. Cancel.
- 2. Cancel.
- 3. Cancel.
- 4. Cancel.
- 5. Cancel.
- Cancel. 6.
- 7. Cancel.
- 8. Cancel.
- 9. Cancel.
- 10. Cancel.
- 11. Cancel.
- 12. Cancel.
- 13. Cancel.
- 14. Cancel.
- 15. Cancel.
- 16. Cancel.

17(Original) A compound of structural formula I:

I

or a pharmaceutically acceptable salt, enantiomer, diastereomer, pro drug or mixture thereof, wherein

X is (CH2)n, O or S;

Y represents
$$(C(R^b)_2)_n$$
, triple bond, R^b

Page 3

Case MC058YP

Ar₂ independently represent (CH₂)_mC₆₋₁₀aryl, (CH₂)_mC₅₋₁₀heteroaryl, (CH₂)_mC₃₋₁₀ heterocycloalkyl, (CH₂)_mC₃₋₈ cycloalkyl said cycloalkyl, heterocycloalkyl, aryl or heteroaryl unsubstituted or substituted with 1-3 groups of Ra;

Ra represents C1-6 alkoxy, C1-6 alkyl, CF3, nitro, amino, cyano, C1-6 alkylamino, or halogen;

Rb independently represents H, halogen, C1-6 alkyl, C3-6 cylcoalkyl or

-- represents a double or single bond;

n represents 0-4; and

m represents 0-8.

18(Original). The compound according to claim 17 wherein X and Y are $(CH_2)_n$, --- represents a double bond; and Ar₂ is phenyl.

19(Original). The compound according to claim 18 wherein X is (CH₂)_n and n is 1 and Y is $(CH_2)_n$ and n is 3.

20 Cancel.

A pharmaceutical composition for treating 21(Currently Amended) ocular hypertension or glaucoma comprising a therapeutically effective amount of a compound of formula I of claim 17 as defined in any one of claims 1 to 10, or a pharmaceutically acceptable salt, enantiomer, diasteromer, prodrug, or mixture thereof, in association with a pharmaceutically acceptable carrier.

22 (Currently Amended) A composition according to claim 21 in a form for topical administration as a solution or suspension and further comprising a second active ingredient as defined in claim 12 or 13.

Case MC058YP

23 Cancel.

24 Cancel.

25 Cancel

Page 4